

SMALL. LIGHT. POWERFUL.



One battery. Countless possibilities.

18V



DGM-903

DGM-904

DST-101

DGM-902

DGM-901

DHT-101

DW-406

DW-404

DW-401

DS-201

DS-202

DJS-101

DW-402

DCS-101

DS-203

DJS-102

DOM-101

DW-601

DS-204

DG-501

DRS-101

DRW-402L

DS-10202A

DG-485

DRS-102

DRW-301L

DD-101

DG-502

DOS-501

DRW-402

DDG-102

DH-101

DH-103

DRW-301

DPW-101

DDWV-104


DWL-101

DWL-102

DGS-101

CORDLESS TOOLS FOR EVERY JOB

*From Garage to Garden - powerful,
cordless, and built to perform!*



Seamless Integration

The slide-rail design ensures a secure and streamlined connection with the tool.

Durable Quick-Release Button

Engineered for convenience, the quick-release button allows effortless disassembly and replacement, tested to withstand over 50,000 presses.

Smart Battery Management System (BMS)

A built-in BMS optimizes performance and extends overall battery life through intelligent control.

LED Power Indicator

Multi-level LED indicators provide a clear view of remaining battery capacity:

- ● ● ● 80-100%
 - ● ● ○ 60-79%
 - ● ○ ○ 40-59%
 - ○ ○ ○ 20-39%
- Flashing LED:
○ ○ ○ Under 20% (Low Capacity)
- Protective alerts:
Under-voltage or Over Load
- Temperature protected

Enhanced Durability

The impact-resistant Nylon + GF30% shell offers superior protection and has successfully passed a 1.2-meter drop test, ensuring reliability in tough working conditions.

Compatible with all M7 DC 18V Cordless tools

The battery features protections against low voltage, overcurrent, overheating, unbalance, external shorted, and low power consumption. The terminal design by clamp reduces contact resistance and enhances tool performance.

NEW CORDLESS PRODUCTS

DS-204

3/8" CORDLESS IMPACT WRENCH

4 PCS/CARTON



- Reverse loosening with speed reduction function.
- Light, compact, and powerful.
- Length only 110mm.
- Bare tool weight only 1.0KG.

Square Drive	3/8"
Max Torque	320 (ft-lb) / 434 (Nm)
Torque range	112, 144, 224, 320 (ft-lb) 152, 195, 304, 434 (Nm)
Overall Length	12-9/16" / 125 (mm)
Weight (bare tool)	1 (kg) / 2.2 (lbs)
Rating Voltage	18 (V)
Completely Charged Battery	20 (V) Li-ion 5.0 Ah

DS-204A

3/8" CORDLESS IMPACT WRENCH

4 PCS/CARTON



- 2pcs 5.0Ah Li-ion battery
- 1pc charger



DH-103

1/2" CORDLESS HAMMER DRILL DRIVER



- Impulse Mode.
- 5-Position 90° Adjustable LED Light.
- AUTOSTOP Kick-Back Control enhances user safety.
- 3-in-1 Function: Drill, Hammer Drill, Screwdriver.
- Electric brake quickly stops the chuck rotation.

Chuck Size	1/2" / 13 (mm)
Max. Torque	111 (ft-lb) / 150 (Nm)
Drill Capacity	steel 13 / wood 89 / stone 16 (mm)
No Load Speed (RPM)	Standard Mode: 0-400 / 0-1600 Turbo Mode: 0-500 / 0-2000
Torque Setting	20-stage torque adjustment
Overall Length	180 (mm)
Weight (bare tool)	1.5 (kg) / 3.2 (lbs)
Rating Voltage	18 (V)
Completely Charged Battery	20 (V) Li-ion 5.0 Ah

DH-103A

1/2" CORDLESS HAMMER DRILL DRIVER



- 2pcs 5.0Ah Li-ion battery
- 1pc charger



DDG-102

CORDLESS BLOWER



- Powerful airflow for dust and debris removal.
- Vehicle cleaning, site cleanup, garden leaves.
- 13mm Nozzle: Wide-area dust blowing.
- 9mm Nozzle: Filter and mesh cleaning.
- Valve Nozzle: Inflation function.
- Long Nozzle: Dust removal in narrow spaces.
- HEPA Filter: Captures fine dust, suitable for multiple applications.

Maximum Air Speed	0-200 (m/s)
Air Volume	0-1.1 (m ³ /min)
Air Pressure	22.88 (kPa)
Suction Power	1.1 / 1.7 / 2.3 / 2.8 (N)
No Load Speed (RPM)	0-19300 / 0-38600 / 0-57900 / 0-77200
Weight (bare tool)	0.6 (kg) / 1.32 (lbs)
Rating Voltage	18 (V)
Completely Charged Battery	20 (V) Li-ion 5.0 Ah

DDG-102A

CORDLESS BLOWER



- 2pcs 5.0Ah Li-ion battery
- 1pc charger



DG-502

CORDLESS ANGLE GRINDER



- 1-position on/off button enables continuous operation.
- Spindle lock button for easy disc change.
- Safety guard Prevents sparks from flying during grinding.
- Three-speed adjustment 4000, 6000, 8500 RPM.

Pad Dia	5" / 125 (mm)
Spindle Size	M14 x P2.0
No Load Speed (RPM)	8000
Tool length	12-9/16"
Weight (bare tool)	2.2 (kg) / 4.8 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 5.0 Ah

DG-502A

CORDLESS ANGLE GRINDER



- 2pcs 5.0Ah Li-ion battery
- 1pc charger



DRW-301

3/8" CORDLESS RATCHET WRENCH



- Overload protection function.
- Extended version option included.

Square Drive	3/8" / 9.5 (mm)
Bolt Capacity	M5-M12
Max. Torque	135 (ft-lb) / 180 (Nm)
No Load Speed	0-150 / 0-200 / 0-300 (min-1)
Allowable Temperature Range	0-40 °C
Length	384 (mm)
Weight (bare tool)	1.3 (kg) / 2.86 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 2.5 Ah / Li-ion 5.0 Ah

DRW-402

1/2" CORDLESS RATCHET WRENCH



- Overload protection function.
- Extended version option included.

Square Drive	1/2" / 12.7 (mm)
Bolt Capacity	M5-M12
Max. Torque	135 (ft-lb) / 180 (Nm)
No Load Speed	0-150 / 0-200 / 0-300 (min-1)
Allowable Temperature Range	0-40 °C
Length	384 (mm)
Weight (bare tool)	1.3 (kg) / 2.86 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 2.5 Ah / Li-ion 5.0 Ah

DRW-301L

3/8" CORDLESS RATCHET WRENCH



- Overload protection function.
- Extended version option included.

Square Drive	3/8" / 9.5 (mm)
Bolt Capacity	M5-M12
Max. Torque	135 (ft-lb) / 180 (Nm)
No Load Speed	0-150 / 0-200 / 0-300 (min-1)
Allowable Temperature Range	0-40 °C
Length	484 (mm)
Weight (bare tool)	1.5 (kg) / 3.3 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 2.5 Ah / Li-ion 5.0 Ah

DRW-402L

1/2" CORDLESS RATCHET WRENCH



- Overload protection function.
- Extended version option included.

Square Drive	1/2" / 12.7 (mm)
Bolt Capacity	M5-M12
Max. Torque	135 (ft-lb) / 180 (Nm)
No Load Speed	0-150 / 0-200 / 0-300 (min-1)
Allowable Temperature Range	0-40 °C
Length	484 (mm)
Weight (bare tool)	1.5 (kg) / 3.3 (lbs)
Rating Voltage	18 (V)
Completely Charged	20 (V)
Battery	Li-ion 2.5 Ah / Li-ion 5.0 Ah

**Minimal Size,
Maximum Performance.**



NEW PNEUMATIC PRODUCTS

NE-271

1/4" AIR RATCHET WRENCH



10 PCS/CARTON




NE-271-5

1/4" AIR RATCHET WRENCH



10 PCS/CARTON



NE-371

3/8" AIR RATCHET WRENCH



10 PCS/CARTON




NE-371-5

3/8" AIR RATCHET WRENCH



10 PCS/CARTON



NE-372

2-1 AIR RATCHET WRENCH



10 PCS/CARTON

- 1/4" HEX BIT
- 3/8" S.Q



NE-0104-KIT

AIR MULTIFUNCTION RATCHET WRENCH



10 PCS/CARTON



Item No.	Square Drive		Torque Range	Max Torque		No Load Speed	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	Inch	Inch	ft-lb (Nm)	ft-lb	Nm	R.P.M	CFM (L/min)	PSI (bar)	mm	LBS	kg	Inch	dBA	m/s ²	Inch
NE-271	1/4"	---	3.7-22.1(5-30)	29.5	40	300	3.0(84.96)	90(6.3)	134	0.99	0.45	3/8"	81.5	3.5	1/4"
NE-271-5	1/4"	---	3.7-22.1(5-30)	29.5	40	250	3.0(84.96)	90(6.3)	280	1.76	0.8	3/8"	81.5	3.5	1/4"
NE-371	3/8"	---	3.7-22.1(5-30)	29.5	40	300	3.0(84.96)	90(6.3)	134	0.99	0.45	3/8"	81.5	3.5	1/4"
NE-371-5	3/8"	---	3.7-22.1(5-30)	29.5	40	250	3.0(84.96)	90(6.3)	280	1.76	0.8	3/8"	81.5	3.5	1/4"
NE-372	3/8"	1/4"	3.7-22.1(5-30)	29.5	40	300	3.0(84.96)	90(6.3)	134	0.99	0.45	3/8"	81.5	3.5	1/4"
NE-0104	1/4" 3/8" 1/2"	1/4"	3.7-22.1(5-30)	29.5	40	400	3.0(84.96)	90(6.3)	159	1.05	0.48	3/8"	81.5	3.5	1/4"

NEW PNEUMATIC PRODUCTS


QA-102 AIR DIE GRINDER



QA-102-3 AIR DIE GRINDER




QA-102-5 AIR DIE GRINDER



QA-602 AIR ANGLE DIE GRINDER



QA-602-5 AIR ANGLE DIE GRINDER



Item No.	Collet Size	Collet Size	No Load Speed	Avg. Air Consumption	Air Pressure	Overall Length	Motor	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	A mm	B inch	R.P.M	CFM (L/min)	PSI (bar)	mm	HP	LBS	kg	Inch	dBA	m/s ²	Inch
QA-102	6 & 3	1/4" & 1/8"	25000	5.0(141)	90(6.3)	115	0.3	0.63	0.29	3/8"	81.5	1.4	1/4"
QA-102-3	6 & 3	1/4" & 1/8"	25000	5.0(141)	90(6.3)	190	0.3	0.88	0.4	3/8"	81.5	1.4	1/4"
QA-102-5	6 & 3	1/4" & 1/8"	25000	5.0(141)	90(6.3)	241	0.3	1.32	0.6	3/8"	81.5	1.4	1/4"
QA-602	6 & 3	1/4" & 1/8"	18000	5.0(141)	90(6.3)	126	0.3	0.94	0.43	3/8"	81.5	1.4	1/4"
QA-602-5	6 & 3	1/4" & 1/8"	18000	5.0(141)	90(6.3)	252	0.3	1.52	0.69	3/8"	81.5	1.4	1/4"

QC-113 3" AIR CUT-OFF TOOL



QP-202 2" AIR ANGLE POLISHER



QP-203 3" AIR ANGLE POLISHER



Item No.	Pad Dia	Spindle Size	No Load Speed	Avg. Air Consumption	Air Pressure	Overall Length	Motor	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	inch(mm)		R.P.M	CFM (L/min)	PSI (bar)	mm	HP	LBS	kg	Inch	dBA	m/s ²	Inch
QC-113	3"(76)	3/8"-24	18000	3.6(102)	90(6.3)	129	0.3	1.16	0.53	3/8"	81.5	1.8	1/4"
QP-202	2"(50)	5/16"-24	4500	3.0(85)	90(6.3)	141	0.3	1.05	0.61	3/8"	81.5	1.5	1/4"
QP-203	3"(76)	5/16"-24	4500	3.0(85)	90(6.3)	141	0.3	1.05	0.61	3/8"	81.5	1.5	1/4"

QB-202

2" AIR ANGLE SANDER

★★★  
10 PCS/CARTON

MINI



QB-203

3" AIR ANGLE SANDER

★★★  
10 PCS/CARTON

MINI



QB-212

2" AIR RANDOM ORBITAL SANDER

★★★  
10 PCS/CARTON

MINI



QB-213

3" AIR RANDOM ORBITAL SANDER

★★★  
10 PCS/CARTON

MINI



QB-612

2" AIR ANGLE SANDER

★★★  
10 PCS/CARTON

• 2" Roll on Holder Pad

MINI



QB-613





















































































3" AIR ANGLE SANDER

★★★  
10 PCS/CARTON

• 3" Roll on Holder Pad

MINI



Item No.	Pad Dia / Arbor Size	Spindle Size	No Load Speed	Avg. Air Consumption	Air Pressure	Overall Length	Motor	Net Weight		Air Hose	Sound Pressure	Vibration Level	Orbit	Air Inlet
	inch(mm)		R.P.M	CFM (L/min)	PSI (bar)		hp	LBS	kg	Inch	dBa	m/s ²	mm	Inch
QB-202														
QB-203														
QB-212														
QB-213														
QB-612														
QB-613														

QE-102

1/4" AIR ANGLE DRILL

★★★  
10 PCS/CARTON

MINI



























QE-902

1/4" AIR DRILL

★★★  
10 PCS/CARTON

MINI



Item No.	Chuck Size	No Load Speed	Motor	Overall Length	Avg. Air Consumption	Air Pressure	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	inch(mm)	R.P.M	HP	mm	CFM (L/min)	PSI (bar)	LBS	kg	Inch	dBa	m/s ²	Inch
QE-102												
QE-902												



SMALL. LIGHT. QUIET. POWERFUL.

NEW PNEUMATIC PRODUCTS

NC-4235

1/2" DRIVE AIR IMPACT WRENCH
Twin hammer type



10 PCS/CARTON



NC-4660Q

1/2" DRIVE AIR IMPACT WRENCH
Jumbo hammer type



10 PCS/CARTON



NC-8374-8

1" DRIVE AIR IMPACT WRENCH
Pin less type



1 PCS/CARTON

- NC-8374-8 is equipped with 8" extended anvil



Item No.	Square Drive	Bolt Capacity	Torque Range	Max Torque		No Load Speed	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	Inch	Inch (mm)	ft-lb (Nm)	ft-lb	Nm	R.P.M	CFM (L/min)	PSI (bar)	Inch (mm)	LBS	kg	Inch	dBA	m/s ²	Inch
NC-4235	1/2"	3/4"(19)	200-900(272-1220)	1100	1500	9000	4.7(132)	90(6.3)	7-3/32"(180)	4.62	2.1	3/8"	93.0	4.4	1/4"
NC-4660Q	1/2"	3/4"(22)	200-900(272-1224)	1100	1496	7000	4.75(134)	90(6.3)	5-1/2"(134)	3.85	1.75	3/8"	85.0	2.4	1/4"
NC-8374-8	1"	1-27/64"(36)	200-2000(271-2712)	2500	3390	3600	11(308)	90(6.3)	24-7/32"(615)	37.4	17	1/2"	104.0	11.2	3/8"

JC-110

2 IN 1 AIR BLOW GUN

10 PCS/CARTON



- JC-110E01 • High flow nozzle
- JC-110H01 • Side holes nozzle



JC-116

2 IN 1 AIR BLOW GUN

10 PCS/CARTON



- JC-116E01 • High flow nozzle
- JC-116H01 • Side holes nozzle



JC-122

2 IN 1 AIR BLOW GUN

10 PCS/CARTON



- JC-122E01 • High flow nozzle
- JC-122H01 • Side holes nozzle



JC-140

2 IN 1 AIR BLOW GUN

10 PCS/CARTON



- JC-140E01 • High flow nozzle
- JC-140H01 • Side holes nozzle



Item No.	Nozzle Length	Working Pressure	Max Pressure	Avg. Air Consumption	Air Pressure	Net Weight		Air Hose	Sound Pressure	Air Inlet
	inch	PSI(bar)	PSI(bar)	CFM(L/min)	PSI(bar)	LBS	kg	Inch	dBA	Inch
JC-110	10"	75-120(5.3-8.5)	170(11.7)	5.0(140)	90(6.3)	0.38	0.17	3/8"	90.0	1/4"
JC-116	16"	75-120(5.3-8.5)	170(11.7)	5.0(140)	90(6.3)	0.45	0.21	3/8"	90.0	1/4"
JC-122	22"	75-120(5.3-8.5)	170(11.7)	5.0(140)	90(6.3)	0.54	0.25	3/8"	90.0	1/4"
JC-140	40"	75-120(5.3-8.5)	170(11.7)	5.0(140)	90(6.3)	0.83	0.38	3/8"	90.0	1/4"

NEW PNEUMATIC PRODUCTS



SN-1350 MINI VIBRATION-REDUCTION AIR NEEDLE SCALER



10 PCS/CARTON

- Vibration only 1.5m/s, Built-in vibration reduce damper(delivers smooth and comfortable operation).
- Light weight in 0.65 kg(1.43 lbs). (Mini size tool body, ultralight and easy use. Ergonomic one hand-held design.)
- 6,000 impacts/min ability(allows high working efficiency in surface removal operation).

MINI



SN-1360 MEDIUM VIBRATION-REDUCTION AIR NEEDLE SCALER



10 PCS/CARTON

- Vibration only 2.5m/s, Built-in vibration reduce damper(delivers smooth and comfortable operation).
- Light weight in 1.7 kg. (Medium duty inline scaler size tool body, ultralight and easy use.
- 4,700 impacts/min ability(allows high working efficiency in surface removal operation).



SN-1370 MEDIUM VIBRATION-REDUCTION AIR NEEDLE SCALER



10 PCS/CARTON

- Vibration only 6.7m/s, Built-in vibration reduce damper(Pistol vibration-damped needle scaler Cushion grip for better operator comfort).
- Light weight in 2.6 kg. (Medium duty Pistol scaler size tool body ,ultralight and easy use.
- 4,700 impacts/min ability(allows high working efficiency in surface removal operation).



Item No.	Needle Diameter	Piston Dia.	Stroke Length	Blow Per Minute	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet
	mm	mm	mm	b.p.m	CFM (L/min)	PSI (bar)	inch(mm)	LBS	kg	Inch	dBA	m/s ²	Inch
SN-1350	2x100	11	15	6000	1(28.3)	90(6.3)	9-7/8"(251)	1.43	0.65	3/8"	80.0	1.5	1/4"
SN-1360	3x180	22	23	4700	5(141.5)	90(6.3)	14-19/64"(363)	3.74	1.7	3/8"	91.0	2.5	1/4"
SN-1370	3x180	22	23	4700	5(141.5)	90(6.3)	15-35/64"(395)	5.73	2.6	3/8"	91.0	6.7	1/4"

PC-902 ADJUSTABLE TORQUE TAPPING CHUCK

10 PCS/CARTON

- Screw Size Capacity: M3~M12
- Overall Length: 140 mm
- Net Weight: 0.98 kg



CAPACITY			
	steel	copper	aluminum
PC-902	M3~M10	M3~M12	M3~M12

DWL-901 TRIPOD

6 PCS/CARTON

- Height: 1.4 m
- Folded size: 66 x 595 mm
- Weight: 1.49 kg
- Made of aluminum, ABS+PC
- Easy M16 connection

